Suicide

and Self-Inflicted Injuries in South Carolina

2016 DATA

White males age 45 to 64 are the most at-risk group

SUICIDE RATES AT A GLANCE



In the United States, SC ranked 23rd highest, in both overall suicide rates and teen suicides, and 23rd highest in drug-related suicides.



Suicide is the 10th leading cause of death in the state.



The South Carolina suicide rate is **53% higher than the Healthy People 2020 target** and **16% higher than the national rate.**



The suicide rate in South Carolina has increased by 38% in the past 10 years (2007-2016).



Suicide deaths **have doubled since 1999** from 419 to 818 statewide.

THE IMPACT OF SELF-INFLICTED INJURIES



For every person who died by suicide in 2016 (n=818), **2** were hospitalized (n=1791) and **3** were admitted to the emergency room (n=2955) for self-inflicted injuries.




Self-inflicted injuries were responsible for:

- **\$66 million** in hospital charges and
- **\$16 million** in emergency department charges.


This report was supported by Cooperative Agreement number 5 NU17CE002616-05-00 from the Centers for Disease Control and Prevention. The findings and conclusions in this report are those of the author(s) and do not necessarily represent the official position of the Centers for Disease Control and Prevention.

SOUTH CAROLINA BY THE NUMBERS

Suicide by Sex and Race



Suicide by Age




Counties with Highest Suicide Death Rates (2012-2016)

(Highest combined 5-year Suicide rate per 100,000 population)



Most Common Circumstances Related to Suicide (2015-2016)



www.scdhec.gov

Data Sources:

- \cdot WISQARS Web-based Injury Statistics Query and Reporting System
- SCDHEC Vital Records South Carolina Department of Health and Environmental Control Vital Records
- · SCVDRS South Carolina Violent Death Reporting System
- RFA Hospital Discharge Data South Carolina Revenue and Fiscal Affairs Office Hospital Discharge Data



